

INHALTSVERZEICHNIS

TABLE OF CONTENTS

SEITE

PAGE

KERAMIK

CERAMIC

4 - 18

KERAMIK UNGLASIERT

CERAMIC UNGLAZED

19 - 27

POOL BEREICH

POOL AREA

28 - 29

NATURSTEIN

NATURAL STONE

30 - 31

LEGENDE

GLOSSARY

32 - 35





Rutschhemmendes/trittsicheres Mosaik nach DIN 51130

Trittsichere Oberflächen wirken präventiv zur Unfallverhütung. Zur konkreten Beurteilung der Sicherheit des jeweiligen Mosaikes, werden diese in folgende Kategorien eingeteilt: R9 - R13. Die Testperson geht mit einem definierten Arbeitsschuh über einen befeuchteten Belag, der nach und nach angehoben wird und zwar solange, bis die Person unsicher wird und den Halt verliert. Anschließend wird der erreichte Neigungswinkel gemessen und den folgenden Klassen zugeordnet:

Non-skid/Slip-proofed mosaic according DIN 51130

Slip-proofed surfaces have a preventive effect for accidents. For a concrete security assessment, the mosaics are divided into the following categories: R9 - R13. The subject walks over a wet flooring with a defined working shoe. The flooring gets raised little by little, until the person gets insecure or loses the grip. At the end the angle of inclination is measured and assigned into the following classes:

R9: Geringer Haftreibwert/ low coefficient of friction
Trittsicher bis zu einem Neigungswinkel von 3-10°.
Slip-proofed up to an angle of inclination from 3-10°.

R10: Normaler Haftreibwert/ normal coefficient of friction
Trittsicher bis zu einem Neigungswinkel von 10-19°.
Slip-proofed up to an angle of inclination from 10-19°.

R11: Erhöhter Haftreibwert/ better coefficient of friction
Trittsicher bis zu einem Neigungswinkel von 19-27°.
Slip-proofed up to an angle of inclination from 19-27°.



Rutschhemmendes/trittsicheres Mosaik nach DIN 51097

Die Prüfung erfolgt ähnlich zur DIN51130 mit dem Unterschied, dass die Person keinen definierten Arbeitsschuh trägt, sondern barfuß ist.

Non-skid/Slip-proofed mosaic according DIN 51097

The test is similar to DIN51130 with the only difference that the subject is barefoot instead of wearing a working shoe.

A: Für trockene Böden bis zu einem Neigungswinkel von 12-18°.
A: For dry floors up to an angle of inclination from 12-18°.

B: Für nasse Böden bis zu einem Neigungswinkel von 18-24°.
B: For wet floors up to an angle of inclination from 18-24°.

C: Für Schwimmbäder ab einem Neigungswinkel ab 24°.
C: For baths up to an angle of inclination starting at 24°.




K E R A M I K




C E R A M I C

Serie/Series Hexa


HX 030
Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R9




HX 040
Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R9



HX 055
Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R9



HX 065
Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R9



Serie/Series Curtain

CB 25BBG

Matte/sheet 295x295mm
Stein/stone 25x25x10mm / R9



CB 47BBG

Matte/sheet 295x295mm
Stein/stone 47x47x10mm / R9



CB 71BBG

Matte/sheet 290x290mm
Stein/stone 71x71x10mm / R9

CB 95BBG

Matte/sheet 290x290mm
Stein/stone 95x95x10mm / R9



CS 25MLC

Matte/sheet 295x295mm
Stein/stone 25x25x10mm / R9



CS 47MLC

Matte/sheet 295x295mm
Stein/stone 47x47x10mm / R9



CS 71MLC

Matte/sheet 290x290mm
Stein/stone 71x71x10mm / R9

CS 95MLC

Matte/sheet 290x290mm
Stein/stone 95x95x10mm / R9






CV 25MSC

Matte/sheet 295x295mm
Stein/stone 25x25x10mm / R9

CV 47MSC

Matte/sheet 295x295mm
Stein/stone 47x47x10mm / R9



CV 71MSC

Matte/sheet 290x290mm
Stein/stone 71x71x10mm / R9



CV 95MSC

Matte/sheet 290x290mm
Stein/stone 95x95x10mm / R9

Serie/Series Blox



CSB 48BB1

Matte/sheet 298x298mm
Stein/stone 48x48x10mm / R10B



CSB 48BG3

Matte/sheet 298x298mm
Stein/stone 48x48x10mm / R10B



CSB 95BB5

Matte/sheet 290x290mm
Stein/stone 95x95x10mm / R10B



CSB 95BG7

Matte/sheet 290x290mm
Stein/stone 95x95x10mm / R10B

Serie/Series Kolle



CG BH172



Matte/sheet 300x400mm
Stein/stone 97x97x6,5mm / R10

CG BH395

Matte/sheet 300x400mm
Stein/stone 97x97x6,5mm / R10

CG BH493

Matte/sheet 300x400mm
Stein/stone 97x97x6,5mm / R10




CG BH808

Matte/sheet 300x400mm
Stein/stone 97x97x6,5mm / R10



CG BH957

Matte/sheet 300x400mm
Stein/stone 97x97x6,5mm / R10






AT 101

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B




AT 149

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B




AT 891

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B





JT AT 251



Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B



AT 900
Matte/sheet 330x302mm
Stein/stone 25x25x6mm / R10B



AT 950
Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B



AT 959
Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10B



CD 212

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10B




CD 215

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10B



CD 216

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10B



CD 218

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10B



SAT 302

Matte/sheet 298x298mm
Stein/stone 48x48x6mm / R10B

**SAT 348**

Matte/sheet 298x298mm
Stein/stone 48x48x6mm / R10B

**SAT 402**


Matte/sheet 298x298mm
Stein/stone 48x48x6mm / R10B

**SAT 502**

Matte/sheet 298x298mm
Stein/stone 48x48x6mm / R10B

**SAT 509**

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10B

**SAT 543**

Matte/sheet 298x298mm
Stein/stone 48x48x6mm / R10B






HX AT51

Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B




HX AT52

Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B




HX AT53

Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B



HX AT54

Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B



HX AT57


Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B




HX AT59

Matte/sheet 325x281mm
Stein/stone 51x59x6mm / R10B


HX AT21
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B




HX AT22
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B




HX AT23
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B




HX AT24
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B



HX AT27
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B



HX AT29
Matte/sheet 260x300mm
Stein/stone 23x26x5 / R10B







RAT 148

Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10B




RAT 200

Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10B




RAT 890

Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10B



RAT 900

Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10B



KERAMIK UNGLASIERT

CERAMIC UNGLAZED

Serie/Series Hexa & Penny



CU K217



Matte/sheet 315x294mm
Stein/stone d=19x5mm / R10

CU K220

Matte/sheet 315x294mm
Stein/stone d=19x5mm / R10


CU K289

Matte/sheet 315x294mm
Stein/stone d=19x5mm / R10




CU HX017

Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R10



CU HX020

Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R10





CU HX089

Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R10

CU HX101
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10




CU HX117
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10




CU HX120
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10



CU HX127
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10




CU HX137
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10




CU HX189
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10



CU HX140
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10



CU HX150
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10



CU HX160
Matte/sheet 325x281mm
Stein/stone 51x59x5mm / R10





Darf es **unglasiert** sein?

Die **HUH** Mosaik unglasierte Architekturserie besteht aus vier Steinformaten (25x25 / 21,9x72,8 / 48x48 / 98x98mm) und aus fünf klassischen Farben. Kombinieren Sie gerne die uni Farben mit unseren fertigen Mischungen oder greifen Sie auf die Variante mit Glas (Effekt matt & glänzend) zurück. Nutzen Sie ergänzend hierzu unsere Mappe „ZMM AC UNG“.

May it be **unglazed** for you?

The **HUH** mosaic unglazed architecture series is based on four stone formats (25x25 / 21,9x72,8 / 48x48 / 98x98mm) and on five classical colours. Feel free to combine the uni coloured sorts with our ready mix or choose the variants with glass (mat & glossy effect). You can use additional our mosaik folder „ZMM AC UNG“.




25x25mm




21,9x72,8mm



48x48mm



98x98mm



CU 010

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10



CU ST 011

Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10



CU 213

Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10



CU ST G61

Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10




BR 555

Matte/sheet 261x290mm
Stein/stone 21,9x72,8x6,5mm / R10

CU 040



Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST 041**

Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10

**CU 243**

Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10

**CU G80**

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU 050**


Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST 051**


Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10

**CU 253**

Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10

**CU G110**

Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST G111**

Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10




CU 030



Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST 031**


Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10

**CU 233**

Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10

**CU G90**


Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST G91**


Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10

**CU 932**


Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10

**CU 020**


Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU ST 021**

Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10

**CU 223**

Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10

**CU G70**



Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10

**CU 922**

Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10



CU BR 304
Matte/sheet 261x290mm
Stein/stone 21,9x72,8x6,5mm / R10




CU 000
Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10




CU ST 001
Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10



CU 203
Matte/sheet 298x298mm
Stein/stone 47x47x6mm / R10



CU G100
Matte/sheet 326x300mm
Stein/stone 25x25x5,2mm / R10



CU ST G101
Matte/sheet 297x290mm
Stein/stone 21,9x72,8x6,5mm / R10



CU 902
Matte/sheet 298x298mm
Stein/stone 97x97x6mm / R10




CU QR208

Matte/sheet 330x302mm
Stein/stone 25x25x6mm / R10






CD 210

Matte/sheet 306x306mm
Stein/stone 48x48x6mm / R10




CU HX210S

Matte/sheet 260x300mm
Stein/stone 23x26x5mm / R10



CU K210

Matte/sheet 310x315mm
Stein/stone d=19x5,2mm / R10




CU ST210

Matte/sheet 300x300mm
Stein/stone 22x72x6mm / R10



CU HX210M

Matte/sheet 271x281mm
Stein/stone 51x58x6mm / R10




P O O L B E R E I C H

P O O L A R E A



VP100PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C




VP110PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C




VP501PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C



VP503PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C



VP508PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C



VP1158PAT
Matte/sheet 316x316mm
Stein/stone 25x25x4mm / R11C





NATURSTEIN

NATURAL STONE



XNT 46234

Matte/sheet 305x305mm
Stein/stone 23x48x10mm / R10C

XNT 41210

Matte/sheet 305x305mm
Stein/stone 48x100x10mm / R10C



XNT 46692

Matte/sheet 305x305mm
Stein/stone 23x48x10mm / R9C



XNT 46158

Matte/sheet 305x305mm
Stein/stone 15x48x10mm / R10C

HAFTUNGSAUSSCHLUSS / DISCLAIMER

Bei unseren Mosaikbildern handelt es sich um Produktfotos.

Diese können je nach persönlichem Empfinden, Chargen, Optik, Monitorfarbeinstellung und Druckverfahren, vom Original abweichen. Sie sollten sich daher immer eine Mosaikmatte real anschauen und chargengleich bestellen. Nehmen Sie beim Verlegen der Ware immer die Mosaikmatten aus verschiedenen Kartons, um ein einheitliches Farbbild zu erhalten.

Verlegte Ware, unabhängig davon ob diese defekt ist, aus verschiedenen Chargen stammt oder es sich um das falsche Produkt handelt, ist grundsätzlich vom Umtausch ausgeschlossen.

Es obliegt Ihrer Pflicht, größere Schäden im Vorfeld abzuwenden und sich stets vor der Verlegung zu vergewissern, dass sämtliche Parameter zufriedenstellend sind.

Alle Angaben sind ohne Gewähr, Irrtümer und Änderungen sind vorbehalten.

Sie finden unseren Haftungsausschluss und die AGBS unter www.welscheit.de

Thomas Pusch, Marketing

Our mosaic images are product images. So be aware:

These may differ from the original sheet, depending on personal impressions, batches, optic, monitor colour variation and printing methods.

You should always have a look at the mosaic sheets in original and always order from the same batch. While installing the sheets, take them out of different cartons to get a consistent colour.

Installed mosaic, whether it is broken, different batches or it is the wrong product, is principally excluded from exchange.

It is your obligation to avoid bigger damages in the forefront of installation and to make sure that all parameters are satisfying.

All information is provided without warranty, errors and omissions excepted.

You can find our disclaimer and GTC on www.welscheit.de

Thomas Pusch, Marketing

LEGENDE / LEGENDS

Nachfolgend finden Sie eine Übersicht der verwendeten Piktogramme:

Following an overview of our used pictograms:

Bodeneignung 1 / Abrieb 1



PEI 1

Bodeneignung 2 / Abrieb 2



PEI 2

Bodeneignung 3 / Abrieb 3



PEI 3

Bodeneignung 4 / Abrieb 4



PEI 4

Rutschhemmend




Anti Slip



Frostbeständig

Frost resistance




Spritzwasser

Splash water areas




Nassbereich

Wet areas



Dauernassbereich

Permanently wet areas



4 und 8 mm Stärke erhältlich

4 and 8 mm strength available

Für weitere technische Details, besuchen Sie uns unter www.welscheit.de
Verlegeanleitungen und Reinigungshinweise finden Sie unter www.mosaikinfo.de

For additional technical data, visit us on www.welscheit.de
installation instructions and cleaning advices can be found on www.mosaikinfo.de

Grundsätzlich sind alle unsere Mosaik für die Wand, Innen- und Trockenbereich geeignet. Weitere Eigenschaften und Verwendungen entnehmen Sie bitte den jeweils abgebildeten Piktogrammen. Diese gelten nur bei fachgerechter Verlegung und Verwendung für den Einsatzzweck geeignetem Material (www.mosaikinfo.de).



Frostbeständig:

So gekennzeichnete Mosaik sind frostbeständig und für außen geeignet.



Spritzwasserbereich:

Alle Bereiche in denen Wasser, gelegentlich und in kleinstmengen an die Mosaik gesprenkelt werden könnte. Beispielsweise Küchenspiegel oder Waschbecken.



Nassbereich:

Alle Bereiche in denen Wasser, temporär an das Mosaik gelangen könnte. Beispielsweise komplett verlegte Duschwände.



Dauernassbereich:

Alle Bereiche, die permanent Wasser ausgesetzt sind. Beispielsweise Duschböden oder Pools.

Keramische netzverklebte Mosaik sind nur bei korrekter Anwendung (z.B. Epoxy Vollverklebung) auch im Pool einsetzbar.

Zusätzlich sind unsere Mosaik Einzelblattverpackt mit einer Verlegeanweisung und einem Daten-EAN-Etikett versehen.



www.welscheit.de

www.mosaikinfo.de

Sofern ein Mosaik für den Boden geeignet ist, verfügt es über ein entsprechendes unten aufgeführtes Piktogramm. Bodeneignung wird bei keramischen Mosaiken als Abrieb bezeichnet.



Bodeneignung/Abrieb 1:

Mosaik ist für wenig beanspruchte Böden gedacht, welche nur barfuß begangen werden. Repräsentativ hierfür sind private Badezimmer.



Bodeneignung/Abrieb 2:

Mosaik ist für Bereiche gedacht, die mehrheitlich mit Hausschuhen begangen werden. Repräsentativ hierfür sind private Wohnräume.



Bodeneignung/Abrieb 3:

Das Mosaik ist für eine normal starke Beanspruchung ausgerichtet und kann mit herkömmlichen Schuhe betreten werden. Repräsentativ hierfür ist der Flur oder das Wohnzimmer.



Bodeneignung/Abrieb 4:

Das Mosaik ist für stark beanspruchte und hochfrequentierte Wohn- & Geschäftsbereiche geeignet.



Rutschfestigkeit/Trittfestigkeit:

Mosaik mit diesem Piktogramm sind gemäß der angegebenen Bewertungsgruppe R9 oder R10 und/oder mit den Buchstaben A, B, C gekennzeichnet.

PIKTOGRAMME / PICTOGRAMS

All mosaics can be used for the wall, indoor and in dry areas. Further attributes and application possibilities can be seen on the associated pictograms. They are only valid professional installation and using recommended materials for the intended use (www.mosaikinfo.de).

**Frost resistance:**

Mosaics with this pictogram are frost resistant and for outdoor areas.

**Splash water area:**

All mosaic areas, which are sometimes exposed by very small amounts of water. For example the backsplash in the kitchen or behind the sink.

**Wet areas:**

All mosaic areas which are temporary exposed by a higher amount of water. For example tiled shower walls.

**Permanent wet area:**

All areas, which are heavily exposed and also submerged in water. For example shower floors or pools.

Ceramic mesh mounted mosaics can only be installed in pools when installed correctly (e.g. all areas with Epoxy glue).

Added to this, our mosaics are single sheet packed and have an installation guide and a Data-EAN-Label.



www.welscheit.de

www.mosaikinfo.de

When a mosaic can be used on the floor it is marked with one of the abrasion symbols below.

Floor suitability is called PEI for porcelain mosaics.

**PEI 1:**

Is intended for low stressed floors, primarily stepped on bare feet. Like the master's bathroom.

**PEI 2:**

Is intended for low stressed floors, primarily stepped by slippers. Like private living rooms.

**PEI 3:**

Is for normal stressed floors which can be also stepped by normal shoes. Like the floor or the living room.

**PEI 4:**

Is for heavily used and highly frequented living or business rooms.

**Surefootness:**

Mosaics with the surefootness symbol marked with R9 or R10 and/or with the letters A,B,C.

DANKSAGUNG / ACKNOWLEDGEMENT

Die Erstellung des Kataloges erfordert viel Zeit und Arbeit. Somit möchten wir an dieser Stelle die Gelegenheit nutzen, den Menschen, Arbeitskollegen und Firmen zu danken, die mit ihrem Knowhow zur Anfertigung des Kataloges beigetragen haben.

Thomas Pusch, Marketing

Creating a catalogue costs a lot of time and work. Thus, we want to use this site of the book for giving our sincere thanks to those people, colleagues and firms, who made creating this catalogue, by spending their knowhow possible.

Thomas Pusch, Marketing

LAYOUT & DESIGN

LAYOUT & DESIGN



THOMAS PUSCH
STEFFEN SCHARBAUM

DRUCK

PRINT



PRODUKTFOTOGRAFIE

PRODUCT PHOTOS



THOMAS PUSCH
STEFFEN SCHARBAUM

STIMMUNGSBILDER

ATMOSPHERIC IMAGES

