

INHALTSVERZEICHNIS

TABLE OF CONTENTS

	SEITE		SEITE
	PAGE		PAGE
KERAMIK	3 - 13	CRYSTAL STEIN	27 - 28
CERAMIC		CRYSTAL STONE	
TRANSLUZENT	14 - 20	ALUMINIUM-MIX & EDELSTAHL	29 - 30
TRANSLUCENT		ALUMINUM-MIX & STAINLESS STEEL	
CRYSTAL RESIN	21 - 22	NATURSTEIN	31 - 34
CRYSTAL RESIN		NATURAL STONE	
CRYSTAL EDELSTAHL	23 - 24	NATURSTEIN ANTIK KONZEPT	35 - 44
CRYSTAL STAINLESS STEEL		NATURAL STONE ANTIQUE CONCEPT	
CRYSTAL STEIN & EDELSTAHL	25 - 26	LEGENDE	45 - 48
CRYSTAL STONE & STAINLESS STEEL		LEGEND	

Bitte beachten sie, dass mit Sternchen versehene Artikel Auftragsbezogen gefertigt werden und gegebenenfalls mit einer Verzögerung von bis zu 48 Stunden in den Versand kommen.

Items marked with an asterisk are made locally with your incoming order and therefore may have a delivery delay of up to 48 hours.

Um unsere Produkte stets bestmöglich für Sie zu präsentieren, produzieren wir eigens für Sie eine große Auswahl an Produkt- und Stimmungsbildern, Produkt- und Verlegevideos. Darüber hinaus stellen wir Verlegeanweisungen in schriftlicher Form, die den Produkten beigelegt und auch online unter www.mosaikinfo.de abrufbar sind, zur Verfügung.

Ergänzend nutzen wir die modernen Möglichkeiten der Visualisierung, um mit entsprechenden Installationsvideos die Montage zu unterstützen.

Dieses Videomaterial existiert für normales Mosaik aber auch für die verschiedenen Marken aus den Segmenten der DIY Installation.

Natürlich sind wir mittlerweile bei allen gängigen Social Media Plattformen mit unseren eigenen Kanälen vertreten, dort finden Sie beispielsweise regelmäßige Videouploads unserer Neuheiten, News Updates oder einen Blick hinter die Kulissen.

Folgen Sie uns doch auf **YouTube**, **Pinterest**, **Instagram** und **Facebook**, um immer auf dem neuesten Stand zu bleiben und keine Informationen zu verpassen.

Bei Wünschen oder Fragen, kontaktieren Sie uns gerne unter marketing@welscheit.de

HUH Mosaik - immer eine gute Wahl!

In order to always present our products in the best possible way for you, we produce a large selection of product and atmospheric images, product and installation videos especially for you. In addition we provide installation guides which are attached to the products and can also be accessed online at www.mosaikinfo.de.

Added to this, we use all modern possibilities of visualization to support the installation of our products with special installation videos. This video material exists for normal mosaic but also for the different brands from our DIY segment.

Of course, you can find us on all common social media platforms with our own channels, where you will find e.g. regular video uploads, news updates or a look behind the scenes.

Follow us on YouTube, Pinterest, Instagram and Facebook to stay up to date and not miss any information.

If you have any questions, please do not hesitate to contact us at marketing@welscheit.de

HUH Mosaic - always a good choice!





K E R A M I K

C E R A M I C



YBO ART

Matte/sheet 45x288mm

Stein/stone 45x45x6mm

YBO POP

Matte/sheet 45x288mm

Stein/stone 45x45x6mm



YBO RETRO


Matte/sheet 48x300mm

Stein/stone 23x23x5mm

YBO STAR

Matte/sheet 48x300mm


Stein/stone 23x23x5mm



YBO CDCUBIS

Matte/sheet 50x316mm

Stein/stone 50x50x6mm



YBO CD AUBIS


Matte/sheet 50x316mm

Stein/stone 50x50x6mm

YBO BERRY

Matte/sheet 48x298mm

Stein/stone 23x23x6mm



YBO FLOWER



Matte/sheet 61x305mm

Stein/stone 19x19x5,2mm

YBO GO484

Matte/sheet 48x306mm


Stein/stone 48x48x6mm



YBO SB595



Matte/sheet 48x306mm

Stein/stone 48x48x6mm





YBO CS16*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm


YBO CS26*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm



YBO CS36*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm





YBO KAS6*
Matte/sheet 97x297mm
Stein/stone 94x47x7,5mm



YBO CS46*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm


YBO CS56*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm



YBO CS66*
Matte/sheet 69x296mm
Stein/stone 20x145x7,5mm



YBO KAS8*
Matte/sheet 97x297mm
Stein/stone 94x47x7,5mm





YBO M01B*

Matte/sheet 92x295,5mm

Stein/stone 45x95x6,5mm

YBO M03C*

Matte/sheet 92x295,5mm

Stein/stone 45x95x6,5mm



YBO M05P*

Matte/sheet 92x295,5mm

Stein/stone 45x95x6,5mm

YBO M07W*

Matte/sheet 92x295,5mm

Stein/stone 45x95x6,5mm





YBO M02BM*

Matte/sheet 92x294xmm

Stein/stone 45x95+45x45x6,5mm

YBO M04CM*

Matte/sheet 92x294mm

Stein/stone 45x95+45x45x6,5mm



YBO M06PM*


Matte/sheet 92x294xmm


Stein/stone 45x95+45x45x6,5mm

YBO M08WM*

Matte/sheet 92x294mm


Stein/stone 45x95+45x45x6,5mm






YBO CB25BBG*
Matte/sheet 52x295mm
Stein/stone 25x25x10mm

YBO CB47BBG*
Matte/sheet 47x295mm
Stein/stone 47x47x10mm



YBO CB71BBG*
Matte/sheet 71x290mm
Stein/stone 71x71x10mm

YBO CB95BBG*
Matte/sheet 95x290mm
Stein/stone 95x95x10mm





YBO CS25MLC*
Matte/sheet 52x295mm
Stein/stone 25x25x10mm

YBO CS47MLC*
Matte/sheet 47x295mm
Stein/stone 47x47x10mm



YBO CS71MLC*
Matte/sheet 71x290mm
Stein/stone 71x71x10mm

YBO CS95MLC*
Matte/sheet 95x290mm
Stein/stone 95x95x10mm





YBO CV25MSC*

Matte/sheet 52x295mm

Stein/stone 25x25x10mm

YBO CV47MSC*

Matte/sheet 47x295mm

Stein/stone 47x47x10mm



YBO CV71MSC*

Matte/sheet 71x290mm

Stein/stone 71x71x10mm

YBO CV95MSC*

Matte/sheet 95x290mm

Stein/stone 95x95x10mm





YBO CD216

Matte/sheet 48x306mm

Stein/stone 48x48x6mm

YBO CD218

Matte/sheet 48x306mm

Stein/stone 48x48x6mm



BO SERAP

Matte/sheet 110x300mm


Stein/stone 110x300x10mm

BO TUBA

Matte/sheet 35x300mm


Stein/stone 35x300x9mm





TRANSLUZENT

TRANSLUCENT



YBO WL74


Matte/sheet 48x298mm

Stein/stone 23x23x8mm

YBO WL84

Matte/sheet 48x298mm

Stein/stone 23x23x8mm



YBO WL78

Matte/sheet 48x298mm



Stein/stone 48x48x8mm

YBO WL88

Matte/sheet 48x298mm

Stein/stone 48x48x8mm






YBO B10*
Matte/sheet 73x300mm
Stein/stone 73x73x8mm

YBO G20*

Matte/sheet 73x300mm
Stein/stone 73x73x8mm



YBO 1077
Matte/sheet 48x300mm
Stein/stone 15x15x6mm

YBO 1088

Matte/sheet 48x300mm
Stein/stone 15x15x6mm





YBO RB33

Matte/sheet 48x300mm

Stein/stone 15x15x8mm

YBO RB83

Matte/sheet 48x300mm

Stein/stone 15x15x8mm



YBO 8SE95

Matte/sheet 48x300mm


Stein/stone 23x23x8mm

YBO 8SE1501

Matte/sheet 48x300mm

Stein/stone 15x15x8mm





YBO 8SB16

Matte/sheet 48x300mm

Stein/stone 23x23x8mm

YBO 8BS18

Matte/sheet 48x300mm

Stein/stone 23x23x8mm



YBO 8AL19

Matte/sheet 48x300mm

Stein/stone 23x23x8mm

YBO 8GO15

Matte/sheet 48x300mm

Stein/stone 23x23x8mm





YBO 8SB26

Matte/sheet 48x300mm

Stein/stone 48x48x8mm

YBO 8BS28

Matte/sheet 48x300mm

Stein/stone 48x48x8mm



YBO 8AL29

Matte/sheet 48x300mm

Stein/stone 48x48x8mm

YBO 8GO25

Matte/sheet 48x300mm

Stein/stone 48x48x8mm





BO NB19480

Matte/sheet 48x300mm

Stein/stone 48x48x8mm



BO NB19481

Matte/sheet 48x300mm

Stein/stone 48x48x8mm

BO NB19482

Matte/sheet 48x300mm

Stein/stone 48x48x8mm





CRYSTAL RESIN

CRYSTAL RESIN



YBO CB30*

Matte/sheet 48x300mm

Stein/stone 23x23x8mm



YBO CB33*


Matte/sheet 48x300mm


Stein/stone 23x23x8mm

YBO CB74*

Matte/sheet 48x300mm

Stein/stone 23x23x8mm





CRYSTAL EDELSTAHL


CRYSTAL STAINLESS STEEL

YBO M770
Matte/sheet 48x300mm
Stein/stone 15x15x8mm



YBO M780
Matte/sheet 48x300mm
Stein/stone 15x15x8mm






CRYSTAL STEIN & EDELSTAHL

CRYSTAL STONE & STAINLESS STEEL

YBO M650
Matte/sheet 48x300mm
Stein/stone 15x15x8mm



YBO M660
Matte/sheet 48x300mm
Stein/stone 15x15x8mm





CRYSTAL STEIN

CRYSTAL STONE



YBO CR47*
Matte/sheet 52x300mm
Stein/stone 25x25x8mm

YBO M790

Matte/sheet 48x300mm
Stein/stone 15x15x8mm




BO NB1109
Matte/sheet 48x300mm
Stein/stone 15x15x8mm

BO NB1110

Matte/sheet 48x305mm
Stein/stone 15x48x8mm





ALUMINIUM-MIX & EDELSTAHL

ALUMINUM-MIX & STAINLESS STEEL

YBO 15DG
Matte/sheet 48x300mm
Stein/stone 15x15x8mm



ABO B89
Matte/sheet 55x600mm
Stein/stone 15x15+8x600x8mm





NATURSTEIN

NATURAL STONE



BO Ciot CB5

Matte/sheet 50x300mm

Stein/stone 20-40x7mm

BO Ciot GW9

Matte/sheet 50x300mm

Stein/stone 20-40x7mm



BO Ciot CB15

Matte/sheet 100x300mm

Stein/stone 20-40x7mm

BO Ciot GW19

Matte/sheet 100x300mm

Stein/stone 20-40x9mm





BO LA WB01

Matte/sheet 50x300mm

Stein/stone 10x36/10x10x9mm

BO LA GW03

Matte/sheet 50x300mm

Stein/stone 10x36/10x10x9mm



BO LA BC07

Matte/sheet 50x300mm

Stein/stone 10x36/10x10x7mm

BO LA DEC11

Matte/sheet 50x300mm

Stein/stone 10x36/10x10x7mm



BO IN10KS**Matte**/sheet 100x300mm**Stein**/stone 30-70x8mm**BO IN14KS****Matte**/sheet 100x300mm**Stein**/stone 30-70x8mm**BO IN24KS****Matte**/sheet 100x300mm**Stein**/stone 30-70x8mm



NATURSTEIN ANTIK KONZEPT

NATURAL STONE ANTIQUE CONCEPT



PP 46315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 46348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



XNB 40246

Matte/sheet 125x285mm

Stein/stone 125x285x10mm



PP 51315

Matte/sheet 305x15mm
Stein/stone 305x15x15mm

PO 51348

Matte/sheet 305x48mm
Stein/stone 305x48x25mm



XNB 40266

Matte/sheet 125x285mm
Stein/stone 125x285x10mm



PP 43315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 43348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



XNB 40226

Matte/sheet 125x285mm

Stein/stone 125x285x10mm



PP 45315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 45348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



XNB 40206

Matte/sheet 125x285mm

Stein/stone 125x285x10mm



XNB 40286

Matte/sheet 125x285mm

Stein/stone 125x285x10mm



PP 44315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 44348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



PP 47315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 47348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm





PP 40315


Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 40348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



PP 41315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 41348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm





PP 42315

Matte/sheet 305x15mm

Stein/stone 305x15x15mm

PO 42348

Matte/sheet 305x48mm

Stein/stone 305x48x25mm



Hinweise/Notes

Bitte beachten Sie, dass es sich bei Natursteinmosaik, -fliesen, -platten, -rosen, -bordüren um ein Naturprodukt handelt. Daher kann es beim Abbau und bei der Herstellung des Materials zu natürlich bedingten Farbabweichungen und Schwankungen kommen. So können auch die zur Verfügung gestellten Muster und/oder Bildmaterialien Abweichungen zur tatsächlich gelieferten Ware aufweisen. Dies stellt keinen Mangel dar.

Bei unserer Naturstein-Antikserie, werden die rustikal getrommelten Kanten durch Einlage in eine Trommel, mithilfe von Kieselsteinen und keramischen Bodies, durch drehende Bewegungen erzeugt. Bei diesem Prozess kann es zu linsenartigen Abplatzungen des Materials kommen. Das Ergebnis des antikisierens ist in der Materialstruktur bedingt. Die Oberfläche ist auch an der Ausplatzung antik weich und nicht rauh gespalten.

Im Gegensatz zu Marmor, weisen die Travertin Sorten darüber hinaus auch große offenporige Oberflächen auf, dies ist bei Travertin normal und gewünscht. Darüber hinaus, finden sich wie bei Marmorsteinen ebenfalls auch Erzadern und sonstige geologische Einschlüsse.

Please note, that natural stone mosaic, tiles, plates, rosettes and borders are a product from nature. Therefore, there may be natural colour deviations and fluctuations during the dismantling and production of the materials. that is why our samples and/or provided images may also differ from the actually delivered goods. It does not constitute a defect.

The rustic tumbled edges of our natural stone antique series are made in a rotating trommel with the help of pebbles and ceramic bodies. During this process lenticular spallings may occur.

The result of the aging process is given by the structure of the material.

The surface is at the spalling has still an antique soft and not a rough cleaved touch.

In contrast to marble, the travertine varieties also have large open-pored surfaces, which is normal and desired for travertine. In addition, there are also ore veins and other geological inclusions like in marble stone.



XND 61068
Matte/sheet 610x610mm
Stein/stone 610x610x10mm



XND 43069
Matte/sheet 305x305mm
Stein/stone 305x305x10mm




XND 13025
Matte/sheet 100x100mm
Stein/stone 100x100x10mm



XND 61079
Matte/sheet 610x610mm
Stein/stone 610x610x10mm



XND 43080
Matte/sheet 305x305mm
Stein/stone 305x305x10mm



XND 13037
Matte/sheet 100x100mm
Stein/stone 100x100x10mm



XND 61045
Matte/sheet 610x610mm
Stein/stone 610x610x10mm



XND 43047
Matte/sheet 305x305mm
Stein/stone 305x305x10mm




XND 13001
Matte/sheet 100x100mm
Stein/stone 100x100x10mm



XND 61057
Matte/sheet 610x610mm
Stein/stone 610x610x10mm



XND 43058
Matte/sheet 305x305mm
Stein/stone 305x305x10mm



XND 13013
Matte/sheet 100x100mm
Stein/stone 100x100x10mm

DANKSAGUNG / ACKNOWLEDGEMENT

Die Erstellung des Kataloges erfordert viel Zeit und Arbeit. Somit möchten wir an dieser Stelle die Gelegenheit nutzen, den Menschen, Arbeitskollegen und Firmen zu danken, die mit ihrem Knowhow zur Anfertigung des Kataloges beigetragen haben.

Thomas Pusch, Marketing

Creating a catalogue costs a lot of time and work. Thus, we want to use this site of the book for giving our sincere thanks to those people, colleagues and firms, who made creating this catalogue, by spending their knowhow possible.

Thomas Pusch, Marketing

LAYOUT & DESIGN

LAYOUT & DESIGN

HuH Mosaik
Welsch GmbH
THOMAS PUSCH
STEFFEN SCHARBAUM

DRUCK

PRINT

darpe  Industriedruck
Mediengestaltung

PRODUKTFOTOGRAPHIE

PRODUCT PHOTOS


HuH Mosaik
Welsch GmbH
THOMAS PUSCH
STEFFEN SCHARBAUM

 **GEISTREICH**
Agentur für visuelle Kommunikation

STIMMUNGSBILDER

ATMOSPHERIC IMAGES

studioraum



HAFTUNGSAUSSCHLUSS / DISCLAIMER

Bei unseren Mosaikbildern handelt es sich um Produktfotos.

Diese können je nach persönlichem Empfinden, Chargen, Optik, Monitorfarbeinstellung und Druckverfahren, vom Original abweichen. Sie sollten sich daher immer eine Mosaikmatte real anschauen und chargengleich bestellen. Nehmen Sie beim Verlegen der Ware immer die Mosaikmatten aus verschiedenen Kartons, um ein einheitliches Farbbild zu erhalten.

Verlegte Ware, unabhängig davon ob diese defekt ist, aus verschiedenen Chargen stammt oder es sich um das falsche Produkt handelt, ist grundsätzlich vom Umtausch ausgeschlossen.

Es obliegt Ihrer Pflicht, größere Schäden im Vorfeld abzuwenden und sich stets vor der Verlegung zu vergewissern, dass sämtliche Parameter zufriedenstellend sind.

Alle Angaben sind ohne Gewähr, Irrtümer und Änderungen sind vorbehalten.

Sie finden unseren Haftungsausschluss und die AGBS unter www.welscheit.de

Thomas Pusch, Marketing

Our mosaic images are product images. So be aware:

These may differ from the original sheet, depending on personal impressions, batches, optic, monitor colour variation and printing methods.

You should always have a look at the mosaic sheets in original and always order from the same batch. While installing the sheets, take them out of different cartons to get a consistent colour.

Installed mosaic, whether it is broken, different batches or it is the wrong product, is principally excluded from exchange.

It is your obligation to avoid bigger damages in the forefront of installation and to make sure that all parameters are satisfying.

All information is provided without warranty, errors and omissions excepted.

You can find our disclaimer and GTC on www.welscheit.de

Thomas Pusch, Marketing

LEGENDE / LEGENDS

Nachfolgend finden Sie eine Übersicht der verwendeten Piktogramme:

Following an overview of our used pictograms:

Bodeneignung 1 / Abrieb 1



PEI 1

Bodeneignung 2 / Abrieb 2



PEI 2

Bodeneignung 3 / Abrieb 3



PEI 3

Bodeneignung 4 / Abrieb 4



PEI 4

Rutschhemmend



Anti Slip



Frostbeständig

Frost resistance



Spritzwasser

Splash water areas




Nassbereich

Wet areas



Dauernassbereich

Permanently wet areas



4 und 8 mm Stärke erhältlich

4 and 8 mm strength available

Für weitere technische Details, besuchen Sie uns unter www.welscheit.de
Verlegeanleitungen und Reinigungshinweise finden Sie unter www.mosaikinfo.de

For additional technical data, visit us on www.welscheit.de
installation instructions and cleaning advices can be found on www.mosaikinfo.de

Grundsätzlich sind alle unsere Mosaik für die Wand, Innen- und Trockenbereich geeignet. Weitere Eigenschaften und Verwendungen entnehmen Sie bitte den jeweils abgebildeten Piktogrammen. Diese gelten nur bei fachgerechter Verlegung und Verwendung für den Einsatzzweck geeignetem Material (www.mosaikinfo.de).



Frostbeständig:

So gekennzeichnete Mosaik sind frostbeständig und für außen geeignet.



Spritzwasserbereich:

Alle Bereiche in denen Wasser, gelegentlich und in kleinstmengen an die Mosaik gesprenkelt werden könnte. Beispielsweise Küchenspiegel oder Waschbecken.



Nassbereich:

Alle Bereiche in denen Wasser, temporär an das Mosaik gelangen könnte. Beispielsweise komplett verlegte Duschwände.



Dauernassbereich:

Alle Bereiche, die permanent Wasser ausgesetzt sind. Beispielsweise Duschböden oder Pools.

Keramische netzverklebte Mosaik sind nur bei korrekter Anwendung (z.B. Epoxy Vollverklebung) auch im Pool einsetzbar.

Zusätzlich sind unsere Mosaik Einzelblattverpackt mit einer Verlegeanweisung und einem Daten-EAN-Etikett versehen.



www.welsch.de

www.mosaikinfo.de

Sofern ein Mosaik für den Boden geeignet ist, verfügt es über ein entsprechendes unten aufgeführtes Piktogramm. Bodeneignung wird bei keramischen Mosaiken als Abrieb bezeichnet.



Bodeneignung/Abrieb 1:

Mosaik ist für wenig beanspruchte Böden gedacht, welche nur barfuß begangen werden. Repräsentativ hierfür sind private Badezimmer.



Bodeneignung/Abrieb 2:

Mosaik ist für Bereiche gedacht, die mehrheitlich mit Hausschuhen begangen werden. Repräsentativ hierfür sind private Wohnräume.



Bodeneignung/Abrieb 3:

Das Mosaik ist für eine normal starke Beanspruchung ausgerichtet und kann mit herkömmlichen Schuhe betreten werden. Repräsentativ hierfür ist der Flur oder das Wohnzimmer.



Bodeneignung/Abrieb 4:

Das Mosaik ist für stark beanspruchte und hochfrequentierte Wohn- & Geschäftsbereiche geeignet.



Rutschfestigkeit/Trittfestigkeit:

Mosaik mit diesem Piktogramm sind gemäß der angegebenen Bewertungsgruppe R9 oder R10 und/oder mit den Buchstaben A, B, C gekennzeichnet.

All mosaics can be used for the wall, indoor and in dry areas. Further attributes and application possibilities can be seen on the associated pictograms. They are only valid professional installation and using recommended materials for the intended use (www.mosaikinfo.de).



Frost resistance:

Mosaics with this pictogram are frost resistant and for outdoor areas.



Splash water area:

All mosaic areas, which are sometimes exposed by very small amounts of water. For example the backsplash in the kitchen or behind the sink.



Wet areas:

All mosaic areas which are temporary exposed by a higher amount of water.
For example tiled shower walls.



Permanent wet area:

All areas, which are heavily exposed and also submerged in water.
For example shower floors or pools.

Ceramic mesh mounted mosaics can only be installed in pools when installed correctly (e.g. all areas with Epoxy glue).

Added to this, our mosaics are single sheet packed and have an installation guide and a Data-EAN-Label.



www.welscheit.de

www.mosaikinfo.de

When a mosaic can be used on the floor it is marked with one of the abrasion symbols below.

Floor suitability is called PEI for porcelain mosaics.



PEI 1:

Is intended for low stressed floors, primarily stepped on bare feet.
Like the masters bathroom.



PEI 2:

Is intended for low stressed floors, primarily stepped by slippers.
Like private living rooms.



PEI 3:

Is for normal stressed floors which can be also stepped by normal shoes.
Like the floor of the living room.



PEI 4:

Is for heavily used and highly frequented living or business rooms.



Surefootness:

Mosaics with the surefootness symbol marked with with R9 or R10 and/or with the letters A,B,C.